Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Smallpox in the United States, etc.—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Washington—Continued.				
Lincoln County	May 1-Aug. 31	8		
Pierce County (Tacoma included).	May 1-July 31	8	1	
Skagit County	June 1-30	1		
Snohomish County	May 1-July 31	4		
Spokane County (Spokane included).	May 1-Sept. 30	23	5	
Wallawalla County	June 1-30	1		
Whatcom	Sept. 1-30	3		
Whitman County	May 1-Aug. 31	7	2	
Yakima County	May 1-Sept. 30	12		
Total for State		101	8	
Total for State, same period, 1903.		249	10	
Wisconsin:				
Milwaukee	June 12-Nov. 5.	84		
Total for State		84		
Total for State, same period, 1903.		1,721	12	
Grand total		4,168	136	
Grand total, same period, 1903.		11,437	458	

Plague in the United States, as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 25 to November 18, 1904.

California. Summary: Calendar year, 1900, 22 cases, 22 deaths; 1901, 30 cases, 25 deaths; 1902, 41 cases, 41 deaths; 1903, 17 cases, 17 deaths; six months ended July 1, 1904, 8 deaths and 1 recovery. Last case reported March 1, 1904.

Yellow fever in the United States, as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 25 to November 18, 1904.

Six cases reported at Laredo, Tex. (including 1 imported from Minera), during the six months ended July 1, 1904. Last case reported during week ended March 18, 1904.

Weekly mortality table, cities of the United States.

Cities.	Week ended—	Population, United States census of 1900.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Altoona, Pa	Nov. 12	38,973	16	1						1		1		
Baltimore, Md	do	508,957	193	24						5	2	4		
Berkeley, Cal	Nov. 5	13,214	4											
Binghamton, N. Y	Nov. 12	38,647	10	2										
Boston, Mass	do	560,892	194	34						1		5	2	
Brockton, Mass	Nov. 5	40,063	9	1						1				
Butler, Pa	Oct. 15	10,853	3											
Do	Oct. 22	10,853	5											
Do	Oct. 29	10,853	3											
Cambridge, Mass	Nov. 12	91,886	22							2				
Camden, N. J	do	75,935	28	1								1		
Camden, S. C	Nov. 5	2,441	2											
Canton, Ohio	Oct. 15	30,667												
Do	Oct. 22	30,667												
Do	Oct. 29	30,667												
Do	Nov. 5	30,667												
Charleston, S. C	do	55,807	34	2						1				
Chelsea, Mass	do	34,072	18	2								1		
Chicago, Ill	do	1,698,575	420	50		2				6	1	12	2	3
Do	Nov. 12	1,698,575	413	47		4				10	2	13	3	4
Chicopee, Mass	do	19,167	4	1										
Cleveland, Ohio	Nov. 11	381,766	88	10		1				4		4		
Clinton, Mass	Nov. 12	13,667												